

## WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Tuesday, October 18, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L11	L10 and query\$	13
<input type="checkbox"/>	L10	L9 and identif\$	28
<input type="checkbox"/>	L9	L8 and boot	31
<input type="checkbox"/>	L8	L7 and control file	140
<input type="checkbox"/>	L7	((install\$ or load\$) near3 (computer)) same (software platform or operating or windows)	11163
<input type="checkbox"/>	L6	717/175.ccls. and (software platform or operating or windows).ab.	51
<input type="checkbox"/>	L5	717/169.ccls. and (software platform or operating or windows).ab.	44
<input type="checkbox"/>	L4	L3 and (Control file).ab.	10
<input type="checkbox"/>	L3	717/168-178.ccls.	2129
<input type="checkbox"/>	L2	5960175.pn.	2
<input type="checkbox"/>	L1	20030041236	2

END OF SEARCH HISTORY

 **PORTAL**  
USPTO

Subscribe (Full Service) [Register \(Limited Service, Free\)](#) [Login](#)  
**Search:**  The ACM Digital Library  The Guide  
 +Boot +"control file"



 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [Boot control file](#)

Found 2 of 164,603

Sort results by



 [Save results to a Binder](#)

Try an [Advanced Search](#)

Display results



 [Search Tips](#)  
 [Open results in a new window](#)

Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale 

**1 Putting OSX in an open access lab: (or "The Joy of X")**

David L. R. Houston  
 September 2003 **Proceedings of the 31st annual ACM SIGUCCS conference on User services**

Full text available:  [pdf\(211.45 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)



This paper discusses the challenges of putting Apple Macintosh OSX into open access and computer lab environments.

**Keywords:** Macintosh, OSX, configuration, imaging, integration, lab, labs, maintenance, open access, security, software distribution, workstation

**2 Interactive Editing Systems: Part II**

Norman Meyrowitz, Andries van Dam  
 September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3




Full text available:  [pdf\(9.17 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



My Web BETA

Search Services Advanced Search Preferences

Search Results

Results 1 - 10 of about 7,850 for "Boot disk" "control file" - 0.39 sec. (About this page)



roceedings of the 13th Large Installation System Administration Conference, November 7-12, via CDRom, network or tape, using a special **boot disk** that describes the system that should be set ... A **control** disk and additional (optional) control files ...

[www.usenix.org/events/lisa99/full\\_papers/hohndel/hohndel\\_html](http://www.usenix.org/events/lisa99/full_papers/hohndel/hohndel_html) - 30k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### control File

This section describes the various entries in the various control files. Several of these control files may exist. There are one on the **boot-disk** and one on the installation medium. ... Description of the **control file**. Specific entries for the [ast.suse.com/autoinstall/autoyast1/cf.html](http://ast.suse.com/autoinstall/autoyast1/cf.html) - 3k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### pecific entries for the boot-disk only

he file /suse/setup/descr/info on the **boot-disk** contains the information which Linuxrc needs to set up language and access to the installation medium. ... <<< Previous. **Control File**. Next >>> Specific entries for the **boot-disk** [ast.suse.com/autoinstall/yast/autoyast1/html/cf.bootfloppy.html](http://ast.suse.com/autoinstall/yast/autoyast1/html/cf.bootfloppy.html) - 9k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

UTOMATED INSTALLATION OF LINUX SYSTEMS USING YAST (PDF) <sup>E</sup> possible via CDRom, network or tape, using a special **boot disk** that describes the system that ... A **control file** and additional (optional) control files on ...

[www.usenix.org/event/lisa99/full\\_papers/hohndel/hohndel.pdf](http://www.usenix.org/event/lisa99/full_papers/hohndel/hohndel.pdf) - 378k - [View as html](#) - [More from this site](#) - [Save](#) - [E](#)

[ftp://download.microsoft.com/download/7/8/7/787dfd51-f7e3-41de-ab2f-1cf4a7aff587/Glossary](http://ftp://download.microsoft.com/download/7/8/7/787dfd51-f7e3-41de-ab2f-1cf4a7aff587/Glossary)

disk that contains key system files. A **boot disk** comes with Windows NT Server 4.0, or you can ... file names, file system recovery, and extremely large ...

[download.microsoft.com/download/7/8/7/.../Glossary.doc](http://download.microsoft.com/download/7/8/7/.../Glossary.doc) - 867k - [View as html](#) - [More from this site](#) - [Save](#) - [Block](#)

### Creating the Logical Volume Infrastructure

dev/dsk/c4t5d0 (10/0.5.0) **Boot Disk**. /dev/dsk/c4t6d0 (10/0.6.0) **Boot Disk** ... Next, create a **control file** named /rectory /dev/vgdatabase ...

[ocs.hp.com/en/B3936-90024/ch05s03.html](http://ocs.hp.com/en/B3936-90024/ch05s03.html) - 65k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### Installing a Second Operating System (PDF)

A **boot disk** and access to the installation media (this may be a local CD-ROM, in ... supports full security access, file system recovery, and extremely large storage ...

[vto.ir/ostadonline/ebook/Installing a Second Operating System.PDF](http://vto.ir/ostadonline/ebook/Installing%20a%20Second%20Operating%20System.PDF) - 164k - [View as html](#) - [More from this site](#) - [E](#)

### Installing a Second Operating System (PDF)

which case appropriate CD-ROM drivers must be on the **boot disk**, or a network drive ... supports full security access, file system recovery, and extremely large storage ...

[sbg.u.ac.il/~pcprogs/install/Utils/.../ENGLISH/DOCS/OPERATE.PDF](http://sbg.u.ac.il/~pcprogs/install/Utils/.../ENGLISH/DOCS/OPERATE.PDF) - 186k - [View as html](#) - [More from this site](#) - [E](#)

### Creating an OPS Storage Infrastructure with LVM

dev/dsk/c4t5d0 (10/0.5.0) **Boot Disk**. /dev/dsk/c4t6d0 (10/0.6.0) **Boot Disk** ... Next, create a **control file** named /rectory /dev/vgdatabase ...

[ocs.hp.com/en/B5158-90044/ch05s04.html](http://ocs.hp.com/en/B5158-90044/ch05s04.html) - 84k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

### Computer Refurbishing - Making new copies of floppies

Ready to create Boot disk in A: insert a blank formatted 1.44mb disk in A: press ENTER ... can click Save/Exit, e BootMagic control file ...

[elpingtulsa.org/howto/makedisk.htm](http://elpingtulsa.org/howto/makedisk.htm) - 7k - [Cached](#) - [More from this site](#) - [Save](#) - [Block](#)

Results Page:

1 2 3 4 5 6 7 8 9 10 ► [Next](#)

---

[Web](#) | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) NEW | [Shopping](#)

Your Search:



[Got mail? Get to your mail faster with Yahoo! Toolbar. It's free](#)

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)



Web Images Groups News Froogle Local New! more »

"Boot disk" "control file" identifier

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 481 for **"Boot disk" "control file" identifier**. (0.46 seconds)

### SuSE Linux Portal

The bootdisk can be simply generated from the normal SuSE boot-disk. Currently CD-ROM and NFS are ... Description of the **control file** /suse/setup/descr/info ...  
[portal.suse.com/sdb/en/2001/02/cg\\_autoinstall.html](http://portal.suse.com/sdb/en/2001/02/cg_autoinstall.html) - 49k - [Cached](#) - [Similar pages](#)

### DatArrest - Forensic Backup - Manual

Stores and retrieves all **control file** information from the specified path. ....  
Create a **boot disk** with the necessary CD-ROM/DVD drivers following the steps ...  
[www.datarrest.com/datarrest\\_manual.php](http://www.datarrest.com/datarrest_manual.php) - 68k - [Cached](#) - [Similar pages](#)

### [PS] 1 General points The purpose of this document is to describe the ...

File Format: Adobe PostScript - [View as Text](#)  
Copy the cdrom identifier files of the CDs. cp -av CDROM?/.S\* . 6. .... Specific entries for the **boot-disk** only The file /suse/setup/descr/info on the ...  
[www-it.desy.de/systems/linux/Auto-Install.english.ps](http://www-it.desy.de/systems/linux/Auto-Install.english.ps) - [Similar pages](#)

### [PDF] Configuring JumpStart™ Servers to Provision Sun™ x86-64 Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The Solaris OS suninstall program checks the default **boot disk** for the ... is passed to AutoYaST as the pointer to the auto-install **control file**. ....  
[www.sun.com/blueprints/0205/819-1692.pdf](http://www.sun.com/blueprints/0205/819-1692.pdf) - [Similar pages](#)

### Unified Logons between Windows NT and UNIX using Winbind

The primary **control file** for NSS is /etc/nsswitch.conf. When a UNIX application makes a request ... If you haven't already made a **boot disk**, MAKE ONE NOW! ...  
[groups.northwestern.edu/exec/htmldocs/winbind.html](http://groups.northwestern.edu/exec/htmldocs/winbind.html) - 32k - [Cached](#) - [Similar pages](#)

### 1 General points The purpose of this document is to describe the ...

The bootdisk can be simply generated from the normal SUSE **boot-disk**. .... Description of the **control file** /suse/setup/descr/info This section describes the ...  
[www.suse.de/en/whitepapers/yast/Auto\\_Install\\_English\\_text.txt](http://www.suse.de/en/whitepapers/yast/Auto_Install_English_text.txt) - 36k - [Cached](#) - [Similar pages](#)

### Maximum Security – Ch 16 – Microsoft

The degree to which a DAC system can **control file** and directory access is ... For example, a kid sporting a Linux **boot disk** (only certain versions of Linux) ...  
[newdata.box.sk/bx/hacker/ch16/ch16.htm](http://newdata.box.sk/bx/hacker/ch16/ch16.htm) - 85k - [Cached](#) - [Similar pages](#)

### Program Security

Attach to data or **control file**. Modify directory; Rewrite data ... The worm periodically changed its name and process identifier so that no single name ...  
[www.phptr.com/articles/article.asp?p=31782&seqNum=3](http://www.phptr.com/articles/article.asp?p=31782&seqNum=3) - 104k - [Cached](#) - [Similar pages](#)

### Islagrande/Dr. Taco

... running the username and the personal identifier (PID) through ... which a DAC system can **control file** and directory ... a kid sporting a Linux **boot disk** (only certain ...  
[www.colombus.cu/Drtaco/online/books/A\\_Hacker's\\_Guide\\_to\\_Protecting/ch16.htm](http://www.colombus.cu/Drtaco/online/books/A_Hacker's_Guide_to_Protecting/ch16.htm) - 89k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[PDF] [Software Product Description](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

work virtual **boot disk** using the disk services capability. of PATHWORKS for VMS software. ... local printer device identifier to the default system printer ...

[h18000.www1.hp.com/info/SP25D1/SP25D1PF.PDF](http://h18000.www1.hp.com/info/SP25D1/SP25D1PF.PDF) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google